The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-22115

Stream : Alexandria Creek

Applicant : Stephen Buttler

1204 South Harrison Street Alexandria, IN 46001-2642

Description : A 70' x 75' area was filled in the floodplain. The fill varies in depth from 2' on the

landward side to approximately 5' on the streamward side. It is set 3' back from

the top of the bank. A 32' x 36' garage will be constructed on top of the completed fill. Details of the project are contained in information and plans received at the Division of Water on October 21, 2002 and December 23, 2002.

Location : Along the right (east) overbank, approximately 100' downstream (northwest) of

the South Harrison Street stream crossing

at Alexandria, Monroe Township, Madison County

NW1/4, SE1/4, SE1/4, Section 24, T 21N, R 7E, Alexandria Quadrangle

Quad Code: 4008536

UTM Coordinates: Downstream 4456360 North, 612720 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-22161

Stream : West Fork White River

Applicant : Indianapolis Department of Public Works

Bob Harris

604 North Sherman Drive Indianapolis, IN 46201-2563

Description : The existing bridge carrying Michigan Road over the canal will be rehabilitated.

The bridge will be widened to the east. The sideslopes will be covered with riprap. Details of the project are contained in information and plans received at

the Division of Water on December 17, 2002.

Location : At the Michigan Road canal crossing

near Indianapolis, Washington Township, Marion County

NE1/4, NW1/4, SE1/4, Section 15, T 16N, R 3E, Indianapolis West Quadrangle

Quad Code: 3908672

UTM Coordinates: Downstream 4409195 North, 569810 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22162

Stream : West Fork White River

Applicant : Indianapolis Department of Public Works

Bob Harris

604 North Sherman Drive Indianapolis, IN 46201-2563

Description : The existing bridge carrying Michigan Road over the river will be replaced with a

new structure on essentially the same alignment to improve traffic flow. The new structure will be a four span prestressed concrete I-beam bridge with span lengths of 98'. The structure will have an out-to-out length of 270' and a clear roadway width of 47'. The spill through abutments will have 2:1 sideslopes armored with riprap. The abutments and piers will be skewed 0 degrees to align with the streamflow. The new approach roads will be elevated a maximum of 1.65' above the existing approaches. The existing structure will be completely removed. Details of the project are contained in information and plans received

at the Division of Water on December 17, 2002.

Location : At the Michigan Road river crossing

near Indianapolis, Washington Township, Marion County

NE14, NW14, SE14, Section 15, T 16N, R 3E, Indianapolis West Quadrangle

Quad Code: 3908672

UTM Coordinates: Downstream 4409195 North, 569810 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22172

Stream : Cicero Creek

Applicant : Hamilton County Commissioners

Matthew T Knight PE 1700 South 10th Street Noblesville, IN 46060-3835

Description

The existing 8-span concrete slab bridge carrying Crooked Creek Avenue over the stream will be replaced with a new structure on new alignment to provide safer crossing. The new structure will be a 3-span prestressed concrete T-beam bridge with span lengths of 78', 86', and 78'. The structure will have an out-to-out length of 247' and a clear roadway width of 31.5'. The spill through abutments will have 2:1 sideslopes armored with riprap. The abutments and piers will be skewed 25 degrees to align with the streamflow. The new approach roads will be elevated a maximum of 11' above the existing approaches north of the structure and lowered a maximum of 8' south of the structure. The existing structure will be completely removed. The project is federally funded. Details of the project are contained in information received electronically at the Division of Water on

December 31, 2002.

Location : Approximately 300' downstream of the existing Crooked Creek Avenue stream

crossing

near Arcadia, Jackson Township, Hamilton County

NW¼, NW¼, SE¼, Section 18, T 20N, R 5E, Arcadia Quadrangle

Quad Code: 4008621

UTM Coordinates: Downstream 4448300 North, 584960 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22173

Stream : Wabash River

Applicant : *Indiana Department of Natural Resources

Gregg McCollum

Division of Fish & Wildlife

402 West Washington Street, Room W273

Indianapolis, IN 46204-2267

Description : The existing, deteriorated boat ramp will be replaced with a new 120' long, 19'

wide and 6" in depth concrete ramp across 25' of the applicant's river frontage. The ramp will extend approximately 30' into the river. Approximately 2000 ton of 12" diameter riprap will be placed along the side of the ramp for erosion control. Also, a 17' x 20' accessible concrete parking pad will be constructed near the top of the ramp and an accessible loading dock will be constructed adjacent to the ramp. Approximately 1,000 ton of #2 and #53 crushed stone will be placed on the existing road and parking area. Details of the project are contained in information

and plans received at the Division of Water on December 31, 2002.

Location : Approximately 2,350' downstream of the confluence of Big Creek Slough

near Mt. Vernon, Black Township, Posey County

N½, NE¼, NW¼, Section 29, T 6S, R 14W, Emma, IL-IN Quadrangle

Quad Code: 3708881

UTM Coordinates: Downstream 4204920 North, 402120 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22174

Stream : Ohio River

Applicant : *Indiana Department of Natural Resources

Glen Salmon

Division of Fish and Wildlife

402 West Washington Street, Room W273

Indianapolis, IN 46204-2781

Description : A new 120' long, 20' wide and 6" in depth concrete ramp will be constructed

approximately 170' downstream from the existing ramp on the right bank of the river at approximately river mile 605.9. Also, a new 75' wide and 120' long concrete turnaround will be constructed adjacent to the northwest side of the existing turnaround. Approximately 750 ton of 12" diameter riprap will be used to level the turnaround area and to provide a base for the new ramp. Approximately 45 cubic yards of concrete will be used for the ramp and 167 cubic yards will be used for the turnaround area. Details of the project are contained in information

and plans received at the Division of Water on December 31, 2002.

Location : Along the south riverbank, approximately 500' upstream of the confluence of Mill

Creek and at river mile 606

near Clarksville, Jeffersonville Township, Clark County Clark Military Grant, New Albany, IN-KY Quadrangle

Quad Code: 3808537

UTM Coordinates: Downstream 4238200 North, 606857 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22176

Stream : Lugar Creek

Applicant : Grant County Commissioners

Larry L Yeager

401 South Adams Street

Marion, IN 46953

Description

: The project proposes the reconstruction of existing Bethlehem Road (CR 300E) from Monroe Pike to SR 18 (DES. NO.0200787). These improvements will include the construction of Bridge No. 71 (DES. NO.9506830). The new bridge will be constructed on a new alignment over Lugar Creek to carry Bethlehem Road (CR 300E) across the stream. The new structure will be a 3-span continuous composite prestressed concrete bridge with span lengths of 11,825 mm (38.8 ft),12,050 mm (39.5 ft), and 11,825 mm (38.8 ft). The structure will have an out-to-out length of 9.15 m (30.0 ft) and a clear roadway width of 9.0 m (29.5 ft). The structure length will be 36.19 m (118.7 ft). The spill through abutments will have 2:1 sideslopes armored with riprap placed over a geotextile fabric. The abutments and piers will be skewed 25 degrees left to align with streamflow. The portion of Bethlehem Road on the new alignment will be constructed to an elevation above the Q100 elevation to eliminate overtoping by the design flood. The project is partially federally funded. Details of the project are contained in information received electronically at the Division of Water on January 6, 2003.

Location

: The project site is located approximately 0.511 miles south of SR 18

near Marion, Center Township, Grant County

Section 9, T 24N, R 8E #71, Van Buren Quadrangle

Quad Code: 4008555

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22184

Stream : Elkhart River

Applicant : City of Elkhart

Burne Miller

Elkhart, IN 46516

Description

A 36 inch diameter line will be placed to provide stormwater drainage for the new railroad underpass at Indiana Avenue. The line will be placed by the trenching method. A stormwater outfall structure will be constructed along the south/left bank of the Elkhart River to provide stormwater drainage. A 36" reinforced concrete outfall pipe will be buried to a depth of 7-9 ft in the floodplain. The approximately 1250ft long pipe will carry stormwater from the new Indiana Avenue Underpass to the river. The pipe will terminate with a grated box end section that will conform to the bank slope. An energy dissipator will not be necessary as the outfall will be submerged. Details of the project are contained in information received electronically at the Division of Water on January 8, 2003.

Location

: The storm sewer will extend east along Indiana Avenue, then north along Tipton Street, across Taylor Street to McDonald Street, and then east on McDonald to Grand Avenue. At Grnd Avenue a juntion manhole will be constructed colloecting the two existing outflows. It will then ve routed north along the old Grand Avenue right-of-way to the Elkhart River. The outfall structure is located approximately 70 feet east of the Mary Beck School, along the south/left bank of the Elkhart River

At Elkhart, Concord Township, Elkhart County Section 9, T 37N, R 5E, Elkhart Quadrangle

Quad Code: 4108568

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-19375

Lake : Lake of the Woods

Applicant : Steven and Renee Reader

3024 Spring Creek Drive Fort Wayne, IN 46808

Description : A glacial stone seawall will be constructed across 10' of the applicant's frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. A 5' x 30' underwater beach will be constructed along the applicant's 10' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on October

30, 2002.

Location : 11895 East 660 South, East 10' of west half of Lot 34 of Bair's Second Addition to

Maple Site Resort

near Stroh, Milford Township, LaGrange County

SE¼, NE¼, SE¼, Section 25, T 36N, R 11E, Stroh Quadrangle

Quad Code: 4108552

UTM Coordinates: Downstream 4600880 North, 650425 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19420

Lake : Lake George

Applicant : Jack Hunter

120 Lane 201B Lake George Fremont, IN 46737-9668

Description : A concrete seawall will be refaced with a layer of concrete across 35' of the

applicant's frontage. Details of the project are contained in information and plans received at the Division of Water on December 17, 2002 and January 2, 2003.

Location : 120 Lane 201B, Lot 11 of Forest Park

near Fremont, Jamestown Township, Steuben County

SE14, NE14, SE14, Section 15, T 38N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4623710 North, 665279 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19422

Lake : Little Cedar Lake

Applicant : Gary Houser

2631 East Lakeview Avenue Columbia City, IN 46725-9318

Description : A 20' x 25' underwater beach will be constructed along 20' of the applicant's 40'

frontage by placing a uniform 6" layer of pea gravel on the lakebed.

Details of the project are contained in information and plans received at the

Division of Water on December 17, 2002 and December 31, 2002.

Location : 2631 East Lakeview Avenue

near Columbia City, Thorncreek Township, Whitley County

NE14, SW14, NW14, Section 12, T 32N, R 9E, Columbia City Quadrangle

Quad Code: 4108524

UTM Coordinates: Downstream 4567130 North, 630628 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19425

Lake : Big Long Lake

Applicant : Sue A Taylor

9710 East 520 South

Wolcottville, IN 46795-9746

Description : A concrete seawall will be constructed across 52' of the applicant's frontage. The

lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of

Water on December 23, 2002 and January 7, 2003.

Location : 9710 East 520 South; lot 102, Hartzell, Long Lake Park Addition

near South Milford, Milford Township, LaGrange County

NE1/4, SW1/4, NE1/4, Section 22, T 36N, R 11E, Stroh Quadrangle

Quad Code: 4108552

UTM Coordinates: Downstream 4602870 North, 446826 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19426

Lake : Lake Wawasee

Applicant : Clarence O Eyer

8256 East North Road Syracuse, IN 46567-9596

Description : An existing 13' x 16 boat well which extends 16' landward of the legal shorline

will be dredged to a maximum depth of 5'. Details of the project are contained in information and plans received at the Division of Water on December 26, 2002

and January 7, 2003.

Location : 8256 East North Road; lot 28, Hess Avenue Sub-Division

near Syracuse, Turkey Creek Township, Kosciusko County

NE14, NE14, SW14, Section 23, T 33N, R 7E, Lake Wawasee Quadrangle

Quad Code: 4108546

UTM Coordinates: Downstream 4582238 North, 609804 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19427

Lake : Stone Lake

Applicant *Indiana Department of Natural Resources

Glen Salmon

Division of Fish and Wildlife

402 West Washington Street, Room W273

Indianapolis, IN 46204-2781

Description Two new 15' x 54' concrete boat ramps will be constructed adjacent to the

> existing boat ramp along 30' of the applicant's 383' frontage. The new ramps will extend 40' lakeward of the lake's legal shoreline. A 15' x 15' section of the old ramp will be removed from the lakebed. Two 12' x 12' underwater beaches will be constructed by placing a uniform layer of pea gravel along the lakebed. Also, a 12' x 8' transfer slip will be dredge landward of the legal shoreline and will be approximately 4.5' deep and tapered at it landward end. The bottom and one side of the transfer slip will be lined with a layer of glacial stone and pea gravel. The other wall will be lined with concrete or steel and capped with a concrete platform. A 12' x 8' area lakeward of the transfer slip will be dredge to a maximum of 4.5' below the legal lake level so boats can access the transfer slip.

Details of the project are contained in information and plans received at the

Division of Water on December 31, 2002.

Location : At the Stone Lake public Access Site

near LaPorte, Center Township, LaPorte County

S½, Section 34, T 37N, R 3W, La Porte East Quadrangle

Quad Code: 4108656

UTM Coordinates: Downstream 4606310 North, 521050 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19428

Lake : Clear Lake

Applicant : Jon and Janet Zachrich

130 Country Club Road Bryan, OH 43506-9136

Description : A 238' x 3' temporary pier will be placed in front of the applicant's property to

provide access across the existing sandbar. It will be supported by 3" augar poles which will be placed in the lakebed using hand held tools. A low voltage red warning light burns from duck until dawn as a warning to boaters. Details of the project are contained in information and plans received at the Division of

Water on January 3, 2003 and January 7, 2003.

Location : 434 Lake Drive, lot 14 Point Park

near Fremont, Clear Lake Township, Steuben County

NE1/4, SW1/4, NE1/4, Section 20, T 38N, R 15E, Clear Lake, IN-OH-MI Quadrangle

Quad Code: 4108467

UTM Coordinates: Downstream 4622671 North, 680184 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake